



BEE STINGS

Unfortunately, summer outdoor fun may be stymied by an occasional bee sting. If your child gets stung by a bee, scrape out the stinger. Pulling out the stinger may leave part of it in the skin and exacerbate the body's allergic reaction. Placing toothpaste or meat tenderizer on the sting are good home remedies to decrease pain. If the surrounding skin becomes red or swollen, oral Benadryl™ may also be given to blunt your body's allergic response.

Call 911 immediately if a bee sting is associated with breathing problems, wheezing, or swelling of the mouth or throat.



Pediatric Advisor 2006.4; Copyright © 2006 McKesson Corporation and/or one of its subsidiaries. All Rights Reserved. Written by B.D. Schmitt, M.D., author of "Your Child's Health," Bantam Books. This content is reviewed periodically and is subject to change as new health information becomes available. The information is intended to inform and educate and is not a replacement for medical evaluation, advice, diagnosis, or treatment by a healthcare professional.



Westchester Commons

15400 WC Commons Way
Midlothian, VA 23113-7320
Tel: (804) 549-5405
Fax: (804) 379-8162

Old Jahnke Road

7023 Old Jahnke Road
Richmond, VA 23225-4126
Tel: (804) 320-1353
Fax: (804) 320-6636

Harbour Pointe

6510 Harbour View Court, Suite 100
Midlothian, VA 23112-6559
Tel: (804) 739-8166
Fax: (804) 639-6614